STICKS TRIM

Acoustics » Acoustic Sticks



Brand: **Zintra**

Applications: Ceilings, Walls



Sticks Trim Spotted Gum



Sticks Trim Ironbark Ceiling



Sticks Trim Detail

Sticks Trim are designed to complement Zintra Sticks Bundles. Impeccably finish around windows, doors, ceiling services and GPOs with Zintra Sticks Trim.

✓ Acoustic✓ Easy Install	✓ Bleach Cleanable	✓ Easy Clean
Description	Zintra Sticks are a versatile range of fabricated acoustic sticks designed for easy installation in any space.	
	Sticks Trim are designed to complement Zintra Sticks Bundles. Impeccably finish around windows, doors, ceiling services and GPOs with our Sticks Trim. Supplied as a separate right-angle piece, Sticks Trim is easily cut in the field to mitre or butt join and glue to Sticks sets to provide a matching Timber finish to exposed ends	
	Additionally, a selection of Sticks are available to address transitions, and corners, ensuring a comprehensive solution tailored to your space.	
	Sticks Transition: Seamless corner transitions are possible with the use of purpose designed Sticks Transition. Designed to join bundles at inside corners and available in Landscape or Portrait.	
		designed transition piece that seamlessly lable in Landscape or Portrait and in two
Composition	Zintra Acoustic Panel - 100% Solutio	n Dyed (Colour Through) Polyester
	12mm (1/2") -Density 2.4 kg /m ² 0.5	b/ft²
Sustainability	Zintra is made from 100% recyclable	materials.
	60% post-consumer recycled contents	ent from PET bottles.
	• 35% pre-consumer recycled content	nt from PET chips
	• 5% polylactic acid (PLA)	
Finishes	Zintra Panel - Matt. Check out the Zi	ntra 12mm colour range in the DOWNLOADS
Pattern Repeat Size	N/A	
Dimensions	Sticks Trim:	
	2745mm (108") h x 73mm (2.88") w x	73mm (2.88") d



STICKS TRIM

Acoustics » Acoustic Sticks

Fire Rating ASTM-E84 – Class A classification

AS ISO 9705 - 2003 - Group 1 classification

EN-13501 - B-s2-d0 classification

Supplied As Trim:

1 x Zintra Trim

Fabrication Techniques Stanley knife and straight edge

Assembly & Delivery

Ships flat pack except Sticks Trim. Assembly required.

Go to the Technical Documents and download the Installation Guide for more

details.

Suggested Installation

Ships assembled.

Download Installation Guide for full instructions.

Care Instructions

Vacuum to remove dust.

Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm

water. Repeat using only clean water, then pat dry with a lint free cloth.

For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.

Always test in an inconspicuous area first and if you don't see the expected results,

contact us.

Warranty

Visit FAQ for more details.

Customisable

The Zintra Acoustic Solutions range is customisable to your project. Please get in

touch with your local contact for details.

Additional Comments

NRC Rating:

• Directly mounted: 0.8

• With 6" (152mm) Air Gap: Up to 0.95

How to Specify

1. Zintra Colour



Colour & Finish Options

Zintra 12mm Solid PET







STICKS TRIM

Acoustics » Acoustic Sticks





Storm







Zintra Timber Print









Eucalyptus

Ironbark

Merbau

Spotted Gum

