
LARA



Applications: Upholstery

Lara is a 137cm wide fluid barrier vinyl that's available in 58 plain colours. It's stain resistant and bleach cleanable, ideal for indoor use.

| ✓ Bleach Cleanable | ✓ Moisture Barrier | ✓ Stain Resistant |
|-------------------------|--|---|
| ✓ Denim Stain Resistant | ✓ Fluid Barrier | ✓ Fade Resistant |
| Description | 58 excellent plains that will be sure to meet your project requirements through colour, choice and performance. | |
| Composition | Non-Phthalate Vinyl Surface with Polyester Backing | |
| Sustainability | GREENGUARD GOLD Certified | |
| | REACH Compliant | |
| | RoHS Compliant | |
| | No PFAS, fluorocarbons or perfluorinated compounds | |
| | No added flame retardants | |
| | No added antimicrobials | |
| | • Formulated without Phthalates | |
| Environmental Info | furniture and ensures compliance wit | s towards LEED credits for low-emitting h Business and Institutional Furniture X7.1 standard and BIFMA e3 credit 7.6.1. |
| | Greenguard Gold Certification standa | ard includes: |
| | * Health-based criteria for additional chemicals and requires lower total VOC emissions levels to help ensure that products are acceptable for use in environments like schools and healthcare facilities. | |
| | * Products that also comply with requirements of the state of California's Department of Public Health (CDPH) "Standard Method for the Test and Evaluation of Volatile Organic Chemical Emissions from Indoor Sources Using Environmental Chambers, Version 1.2 (2017)" (also know as California Section 01350). | |
| | * Products that are compliant with the BIFMA X7.1 standard and BIFMA e3 credits 7.6.1, 7.6.2, and 7.6.3. | |
| Finishes | Advanced Soil and Stain Resistant Top Coat | |
| Pattern Repeat Size | N/A | |

1300 306 399 info@baresque.com.au

| Roll Size | 137cm wide X 36.5m- Available by the lineal metre. | |
|-------------------|--|--|
| Weight | 949.3 g/ m2 | |
| Abrasion | Exceeds 1,300,000 double rubs (Wyzenbeek) | |
| Fire Rating | This product can be treated with a fire retardant that will ensure it meets Australian Standard 1530.3. Contact Baresque for details. | |
| Lead Time | • 2-weeks (approx.) from Wednesday, subject to stock availability. | |
| | Additional 1-week for Western Australia. | |
| | Express delivery is available subject to a surcharge. Contact Baresque for details and pricing. | |
| Care Instructions | Use cloth with any of the following in preferred order of use: | |
| | 1: Clear warm water | |
| | 2: Mild solution of liquid detergent and warm water | |
| | 3: Isopropyl Alcohol (a.k.a. rubbing alcohol) | |
| | Remove any detergent with a clean, damp cloth. Gently pat dry. | |
| | For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Rub gently. Rinse with a water dampened cloth to remove bleach concentration. | |
| | Do not use solvent based or concentrated abrasive cleaning agents, lacquer thinners or nail polish remover as these may cause discolouration over a period of time. | |
| | Always test in an inconspicuous area first. | |
| | If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance. | |
| Warranty | 2-year warranty. Visit baresque.com.au/warranty for complete details. | |



LARA

Colour & Finish Options









5 of 6

