

# MAG RITE

Wallcoverings » Writable and Magnetic Wallcoverings



Brand: **Koroseal**

Applications: **Walls**

# MAG RITE

Wallcoverings » Writable and Magnetic Wallcoverings


High-quality, matte to semi-gloss dry erase surface. Comes in flexible rolls with fabric backing and installs like most commercial wallcoverings.

Composition	Specify scrim backing - Vinyl printed with light grid lines and capped with a dry erase film.
Roll Size	119/122cm x 22.8m Available by the lineal metre.
Suggested Installation	<p>Can be hung vertically or horizontally.</p> <p>Reverse hang, overlap and double cut.</p> <p>Due to its extra tack, some installers may prefer to use the Roman PRO555 Vinyl Over Vinyl for installing Mag-Rite</p> <p>Baresque recommends and supplies Roman brand adhesives and primers.</p>
Care Instructions	<p>Remove dry erase markings with a microfiber cloth. Press firmly in a circular motion.</p> <p>Wash cloth or change erasers as they become dirty as dirty dry erase cleaning cloths and erasers will spread ink residue on the surface.</p> <p>For daily cleaning, or as required, rinse the surface with water.</p> <p>Dry the surface with a soft cloth prior to writing.</p> <p>See Walltalkers Care Maintenance pdf for full instructions.</p> <p>Always test in an inconspicuous area first. If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.</p>
Warranty	2-year warranty. Visit <a href="https://www.baresque.com.au/warranty">baresque.com.au/warranty</a> for complete details.
Additional Comments	All Walltalker products should be washed with an ammonia or alcohol-based cleaner or mild soap and rinsed thoroughly with water prior to using. See Walltalkers Care Maintenance pdf for full details. Neodymium, also called Rare Earth Magnets work best with Mag-Rite They are typically smaller with a strong magnetic pull.

# MAG RITE


Wallcoverings » Writable and Magnetic Wallcoverings

## Colour & Finish Options



M2 GR

M2 PR



M2 48