
**Acoustics** » Acoustic Baffles



Brand: **Zintra** 

Collections: Connect Baffles

Applications: Ceilings



**Acoustics** » Acoustic Baffles

Cirrus Connect Baffle pattern adds a sense of movement, making it ideal for creating modern, visually engaging environments while enhancing acoustics.

<ul><li>✓ Bleach Cleanable</li><li>✓ Easy Clean</li></ul>	✓ Acoustic	✓ Easy Install				
Description	Add sculptural on-trend geo-accents to your ceiling space with Connect Baffles. An innovative solution to large areas requiring improved acoustics, Connect Baffle options are designed with full ceiling coverage in mind and will create a ceiling space with architectural shape, form and definitive character. <b>Connect Cirrus</b> is characterized by a linear, interconnected design, arranged in a flowing, cohesive formation. This pattern adds a sense of movement and unity to interior spaces.					
	Connect Baffles are also available in 4 other great designs:					
		onnected squares, creating a visually dynamic and ngs a sense of structure and balance to interior				
		nterconnected hexagons, offering a visually striking ern introduces a sense of symmetry and harmony to				
		of interconnected triangles, presenting a visually sign. This pattern introduces a sense of structure				
		of interconnected geometric shapes, including domized forms. This captivating design adds visual rior spaces.				
Composition	Zintra Acoustic Panel - 100% S	olution Dyed (Colour Through) Polyester				
·	12mm (1/2") -Density 2.4 kg /m	<sup>2</sup> 0.5 lb/ft <sup>2</sup>				
Sustainability	Zintra is made from 100% recyc	clable materials.				
	60% post-consumer recycled	content from PET bottles.				
	• 35% pre-consumer recycled of	content from PET chips				
	• 5% polylactic acid (PLA)					



**Acoustics** » Acoustic Baffles

	•					
1)	In	ner	101		nc	
ப	111	161	ıoı	U	115	

Cirrus: Available in 2 heights.

**Cirrus Low** 

3595mm (141.5") w x 2275mm (89.6") d x 190mm (7.5") h

**Cirrus High** 

3595mm (141.5") w x 2275mm (89.6") d x 300mm (11.8") h

### Fire Rating

ASTM-E84 - Class A classification

AS ISO 9705 - 2003 - Group 1 classification

EN-13501 - B-s2-d0 classification

### Supplied As

**Connect Cirrus** 

- Depending on size.
- 5 or 8 x Adjustable Suspension Kit (ASK)
- 5 x S-Hooks

## Fabrication Techniques

Stanley knife and straight edge

#### Assembly & Delivery

**Connect Baffles are supplied flat pack.** 

Assembled your Connect Baffle then suspended from the ceiling using hanging hardware supplied.

Recommended 2 People assembly

Go to the Technical Documents and download the Installation Guide for more details.

### Suggested Installation

Go to Technical Documents and download the Installation Guide for more details.

#### Care Instructions

Vacuum to remove dust.

Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.

For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.

Always test in an inconspicuous area first and if you don't see the expected results, contact us.





**Acoustics** » Acoustic Baffles

Warranty	Visit FAQ for more details.		
Customisable	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.		
Additional Comments	NRC Rating  • Without Air Gap: Up to 0.90  • With 24" (610mm) Air Gap: Up to 0.95		
How to Specify	1. Select Design 2. Select Size 3. Select Zintra Colour		

4 of 6

**Acoustics** » Acoustic Baffles

# Colour & Finish Options



CONNECT CIRRUS

### Zintra 12mm Solid PET







Acoustics » Acoustic Baffles



### Zintra Timber Print

