
Acrylics, Resin & Laminates » Laminates




Brand: **Stratek**

Applications: Joinery, Tabletops, Walls

Acrylics, Resin & Laminates » Laminates









2 of 5



Acrylics, Resin & Laminates » Laminates

Stratek Wood Grains is a 3D vinyl laminate with impact resistance and water damage. Ideal for counters, tabletops, desks and work surfaces.

✓ Cost Effective✓ Extreme Durability	✓ Waterproof	✓ Chemical Resistance
Description	STRATEK 3D Laminate provides a higher level of durability than standard thermofoils making it excellent for use in high traffic commercial environments - education, retail, medical furnishings, hospitality, airports and workspaces - due to its added impact and abrasion resistance.	
	STRATEK 3D Laminate is a rigid thermofoil (RTF) ideal for both horizontal and vertical surface applications. STRATEK can be membrane-pressed or vacuum-formed to contoured surface profiles (think joinery and table tops with rolled edges or logo impressions) as well as being used for matching screens. Its dimensional flexibility eliminates the need for T-molding, edge banding, visible seams and special edge treatments used with traditional laminates, which are also the weakest points for damage by impact and moisture.	

The ability of STRATEK to wrap around edges not only creates lovely seamless edges, it is highly resistant to impact and water damage, and no joins improves cleanability and hygiene. Plus it's available in a wide range of Stones, Solids, Wood Grains & Metallic textures and colours. Specify STRATEK for your counters, tabletops, joinery, desks and work surfaces for stylish, easy to clean finishes.

Composition	Vinyl 3D Laminate	
Supplied As	You can opt to purchase the STRATEK 3D Laminate material for application to horizontal and vertical surfaces yourself or Baresque has a wide array of product fabricated using Stratek including perforated screens, post screens, table tops, Z zoning modules and furniture through our sister company botton + gardiner.	



Acrylics, Resin & Laminates » Laminates

Fabrication Techniques

Flat laminated with contact adhesive, membrane press, mitre foldable

TABLE TOPS

Made-to-order in our factory to your specified size

- Composition: Vinyl 3D laminate on moisture resistant MDF substrate sealed to underside by white laminate
- Maximum size: 3000 x 1150mm
- Thickness: 19mm
- Corner radius: (from top view) 5mm square corners or 50mm radius corners
- Edge: Square, Half Bullnose, Half Bevel, or Reverse Bevel (not available with square corners)
- Lead time: + 2-3 weeks on the laminate lead time (subject to order size)

WALL COVERING:

- Roman Clay Based adhesive is recommended over suitable primer
- Non-reverse hang / overlap and double cut

Additional Comments

STANDARD COLOURS

To keep lead times low and make specification easy, we are stocking popular colours in Australia

CUSTOM INDENT COLOURS

A wide array of custom colours are available for project specific specification. These colours are not stocked in Australia, lead time would be 3-4 weeks. Best suited to large volume projects as Indent colours are available by the roll only - two length options: 45.7mtrs OR 228.6mtrs. Call us on 1300 306 399 for assistance.



Acrylics, Resin & Laminates » Laminates

Colour & Finish Options



PROVIDENCE SABLE



MARKET OAK WHITEWASHED



SMOKEHOUSE



AVANTE KAFFE



MACKINAC



AGED BROWN OAK



AVANTE LATTE



PROVIDENCE KHAKI



MARKET OAK GREY



ALMOND CHERRY



RIFT OAK BROWN



PALOS MAHOGANY



RIVER CHERRY



RIFT OAK NATURAL