

Brand: **Zintra**

Applications: Ceilings, Walls



Curved Sticks Wide Pewter



Curved Sticks Narrow Suspended Frost



Curved Sticks Narrow Detail



Curved Sticks Wide Detail



Curved Sticks Narrow Ceiling Detail



Curved Sticks Wide Ceiling Detail



Curved Sticks Narrow Hanging Detail



Curved Sticks Wide Hanging Detail







Curved Sticks Wide Comb Detail

Acoustics » Acoustic Sticks

Create a sense of depth and dynamism to flat surfaces without the headache and huge cost associated with structural changes with Zintra Curved Sticks.

✓ Acoustic✓ Easy Install	✓ Bleach Cleanable	✓ Easy Clean
Description	Introduce a captivating dimension to flat surfaces with Zintra curved stick, a feat typically challenging and costly to achieve.	
	When combined Zintra curved sticks, the Aluminium tube and our unique curved installation rib allow you to use a single set of sticks to create a simple curve, or, if you want your project to make waves, combine multiple sets and design a dramatic ceiling or wall swell. Discover the ideal fit within our range of Zintra Curved sticks, available in both Narrow and Wide options and a variety of finishes tailored to your aesthetic preferences.	
	Choose from one of our 12 vibrant powdercoat colors (additional charge)	
Composition	Zintra Acoustic Panel - 100% Solution Dyed (Colour Through) Polyester	
	12mm (1/2") - Density 2.4 kg /m² 0.5 lb/ft²	
Sustainability	Zintra is made from 100% recyclable materials.	
	 60% post-consumer recycled content from PET bottles. 	
	• 35% pre-consumer recycled content from PET chips	
	• 5% polylactic acid (PLA)	
Dimensions	1158mm (45.6") w x 2743mm (108") h	
	Each Stick	
	• Narrow 42mm (1.66")	
	• Wide 102mm (4")	
Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification	



Acoustics » Acoustic Sticks

Supplied As	• Flat Pack	
	Curved Rib	
	• 3 x 25mm (1") Aluminium Tube Notched	
	20 Narrow Sticks OR	
	• 10 Wide Sticks	
Assembly & Delivery	• Ships Flat Pack	
	Assembly Required	
	Go to the Technical Documents and download the Installation Guide for more details.	
Suggested Installation	Go to Technical Documents and download the Installation Guide for more details.	
Care Instructions	Vacuum to remove dust.	
	Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.	
	For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.	
	Always test in an inconspicuous area first and if you don't see the expected results, contact us.	
Warranty	Visit FAQ for more details.	
Customisable	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.	



baresque.com.au



How to Specify

Additional Comments NRC 0.80

1. Select Stick Width - Narrow or Wide

2. Select Zintra Colour

Colour & Finish Options


Zintra 12mm Solid PET







Acoustics » Acoustic Sticks



Concrete Cast

Concrete Polished

Raku Luster

Raku Jade

Concrete Dark Tint

Acoustics » Acoustic Sticks



Terracotta Sun Bleached



Terracotta Mission



Terracotta Antique

Zintra Premium Wood



Knotty Pine



Maple



Poplar



Australian Walnut



Claro Walnut



Palm Wood



Rustic Walnut



Cherry



Euro Beech



Lacewood




Redwood




White Oak

Powdercoat



Anodised Silver



Bengal White



Denim



Fern



Gunmetal



