ARCO



Brand: Koroseal

Applications: Walls



ARCO

Wallcoverings » Commercial Wallcoverings



Arco is a perfect blend of natural elements and man-made craft. Inspired by historical and modern architecture is available in 8 colourways.

✓ Mildew Resistant	✓ Bleach Cleanable
Description	Soft corners and rounded edges in design stem from our desire for something comfortable and safe. With nods towards the classic inspiration of nature archways topography, and repeating arches in the outdoors. Arco also takes inspiration from historical and modern architecture including bridges, windows, and ceilings. Arco is a perfect blend of natural elements and man-made craft.
	Arco is a design that's creation started by repeating hand-drawn lines. The pattern evolved to what it is today and is enhanced by a horizontal raw silk background. Arco's colours are usable neutrals with names representing landmarks and places where you can find natural arches, land bridges, and monuments. Haba, Wales, Etretat, and Malta draw their colours from the ocean and coastal cliffs. Rome, Moab and Cabo are inspired by the metal and steel found in some of the world's most iconic bridges.
Composition	Type II Wallcovering
	20 oz. ply Non -Woven backing
Environmental Info	Formaldehyde free
	Heavy metals free
	Perfluorooctanoic acid free
	No solvent inks
	Low VOC emissions. Any VOCs dissipate quickly (faster than paint) through normal ventilation and have no recognized adverse impact on indoor air quality.
	Durability means products do not need to be replaced regularly due to wear and tear and being cleanable, vinyl products are ideal for helping keep commercial environments clean of bacteria.
	Baresque will only deal with vinyl manufacturers that comply with applicable state and federal regulations, provide a factory that is safe and clean for its employees to work in, recycle scrap and inks during the manufacturing process to minimize waste related to production.
Pattern Repeat Size	60.9 cm V 132 cm H
D. II 0:	



Roll Size

Weight

132/137cm x 27.4m - Available by the lineal metre.

20oz (452g/m²)

Fire	\sim $^{\circ}$	^+11	\sim
	– ~	สเแ	16 1

Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification as required by the Building Code of

Australia for the control of fire spread on interior wall and ceiling linings.

The result achieved was: Classification - Group 2

Specific Extinction - Less than 250m²/kg

Lead Time

- 2-weeks (approx.) from Wednesday, subject to stock availability.
- Additional 1-week for Western Australia.
- Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.

Suggested Installation

Non-reverse hang alternate drops/straight across match/overlap and double cut.

Baresque recommends and supplies Roman brand adhesives and primers.

Care Instructions

Use cloth with any of the following in preferred order of use:

- 1: Clear warm water
- 2: Mild solution of liquid detergent and warm water
- 3: Isopropyl Alcohol (a.k.a. rubbing alcohol)

Remove any detergent with a clean, damp cloth. Gently pat dry.

For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Rub gently.

Rinse with a water dampened cloth to remove bleach concentration.

Do not use solvent based or concentrated abrasive cleaning agents, lacquer thinners or nail polish remover as these may cause discolouration over a period of time.

Always test in an inconspicuous area first.

If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.

Warranty

5-year warranty. Visit <u>baresque.com.au/warranty</u> for complete details.



Colour & Finish Options

COLOURWAY CARD











COLOURWAY CARD



RA21-01 ETRETAT

RA21-02 WALES

RA21-03 MALTA

RA21-04 ROME



RA21-05 SYDNEY



RA21-06 HANA



RA21-07 MOAB



RA21-08 CABO

