Acoustics » Acoustic Ceiling Features




Brand: Zintra

Collections: Clouds

Applications: Ceilings

Acoustics » Acoustic Ceiling Features



Clouds Long Dome Concave Bark



Clouds Long Dome Concave Detail

Acoustics » Acoustic Ceiling Features

A 3-dimensional floating design. Zintra Dome Concave creates a stunning easy to assemble ceiling feature.

✓ Acoustic✓ Easy Clean	✓ Bleach Cleanable	✓ Easy Install			
Description	Zintra Acoustic Clouds are available in a unique range of shapes and forms constructed from pressure fit interlocking Zintra profiles. Easy to assemble and install, clouds will add drama to your space whilst simultaneously improving acoustics by utilising Zintra's powerful sound absorption properties.				
	Long Dome Concave: Concave oval-shaped acoustic grid, resembling a capsule.				
	Available in 12 other great designs and multiple sizes				
	Blanchard Clochette Dome Concave Dome Convex Drante Giffard Long Dome Convex Square Stratus Turbine Warp YooFoe				
	Longer Cables, multi-colour and Digital Print available for an additional fee.				
Composition	Zintra Acoustic Panel - 100% Solution Dyed (Colour Through) Polyester				
	12mm (1/2") - Density 2.4 kg /m² 0.5 lb/ft²				
Sustainability	Zintra is made from 100% recyclable materials.				
	 60% post-consumer recycled content from PET bottles. 				
	• 35% pre-consumer recycled content from PET chips				
	• 5% polylactic acid (PLA)				
Dimensions	Long Dome Concave: 1077mm (42.4") w x 2476mm (97.5") d x 300mm (11.8") h				
Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification				
Supplied As	Flat Pack				
	Clouds include Adjustable				
	Cable Kit				



Acoustics » Acoustic Ceiling Features

Assem	hlv	ς. г	الم	orv.
Assem	DIV	~ 1	Jeπ	/erv

Cloud components supplied flat pack.

Assembled cloud is then suspended from the ceiling using hanging hardware supplied.

Recommended 2 People assembly

Go to the Technical Documents and download the Installation Guide for more details.

Suggested Installation

Go to Technical Documents and download the Installation Guide for more details.

Care Instructions

Vacuum to remove dust.

Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.

For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.

Always test in an inconspicuous area first and if you don't see the expected results, contact us.

Warranty

Visit FAQ for more details.

Customisable

The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.

Additional Comments

NRC Rating

- Without Air Gap: Up to 0.95
- With 24" (610mm) Air Gap: Up to 1.00

How to Specify

- 1. Select Design
- 2. Select Size
- 3. Select Zintra Colour



Acoustics » Acoustic Ceiling Features

Colour & Finish Options

Zintra 12mm Solid PET







Acoustics » Acoustic Ceiling Features











Zintra Timber Print









Eucalyptus

Merbau

Spotted Gum