

Acoustics » Acoustic Baffles



Collections: Box Baffles

Applications: Ceilings

Acoustics » Acoustic Baffles



Box Baffles Random Detail

Acoustics » Acoustic Baffles

Suspended box-shaped baffles are an innovative replacement to a mineral fibre lay system. Box Baffles Random are easy to assemble and install.

1)000	rin	tion
Desc	ш	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	~	

Zintra Baffles are prefabricated, ceiling mounted systems that showcase Zintra's flexible characteristics. Zintra Acoustic Baffles are an innovative replacement to a mineral fibre lay system. Easy to assemble, easy to install and available in a large array of designs, baffles are ideally suited to large noisy spaces in educational institutions, shopping centres, restaurants, and airports.

Suspended box-shaped baffles hung in perfectly spaced rows create these high performing baffles. The box shape feature not only looks more substantial, but also increases the NRC rating by capturing sound within. Select the same shaped baffles or mix them up for added dimension.

Available in uniformed (high and low), random or mixed combinations.

Choose from one of our 12 vibrant powdercoat colors (additional charge)

Composition

Zintra Acoustic Panel - 100% Solution Dyed (Colour Through) Polyester

12mm (1/2") - Density 2.4 kg/m² 0.5 lb/ft²

Sustainability

Zintra is made from 100% recyclable materials.

- 60% post-consumer recycled content from PET bottles.
- 35% pre-consumer recycled content from PET chips
- 5% polylactic acid (PLA)

Dimensions

Available in 2 sizes:

- 1000mm (39.4") w x 2400mm (95.4") d
- 2362mm (92.3") w x 2400mm (95.4") d

Fire Rating

ASTM-E84 - Class A classification AS ISO 9705 - 2003 - Group 1 classification

EN-13501 - B-s2-d0 classification

Supplied As

- Zintra Bafles as per specified design.
- 6 x Adjustable Suspension Kit (ASK)
- 2 x Aluminium Tube with Notches



Acoustics » Acoustic Baffles

Assembly & Delivery	Ships Flat Packed.	
	 Assemble your Baffle System then suspend from the ceiling using hanging hardware supplied. 	
	Recommended 2 People assembly	
	Go to the Technical Documents and download the Installation Guide for more details.	
Suggested Installation	Go to Technical Documents and download the Installation Guide for more details.	
Care Instructions	Vacuum to remove dust.	
	Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.	
	For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.	
	Always test in an inconspicuous area first and if you don't see the expected results, contact us.	
Warranty	Visit FAQ for more details.	
Customisable	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.	
Additional Comments	NRC Rating	
	• Without Air Gap: Up to 0.90	
	• With 24" (610mm) Air Gap: Up to 0.95	
How to Specify	1. Select Design	
	2. Select Size	
	3. Select Zintra Colour	



Colour & Finish Options


Zintra 12mm Solid PET







Acoustics » Acoustic Baffles





Raku Luster

Raku Jade



Concrete Dark Tint

Concrete Cast

Concrete Polished

Acoustics » Acoustic Baffles



Terracotta Sun Bleached



Terracotta Mission



Terracotta Antique

Zintra Premium Wood



Knotty Pine



Maple



Poplar



Australian Walnut



Claro Walnut



Palm Wood



Rustic Walnut



Cherry



Euro Beech



Lacewood




Redwood




White Oak

Powdercoat



Anodised Silver



Bengal White



Denim



Fern



Gunmetal





Acoustics » Acoustic Baffles

