
Acoustics » Tiles



Brand: Zintra

Collections: Pattern Tiles

Applications: Walls, Tiles

Acoustics » Tiles



Pattern Tile Lotus Detail

Acoustics » Tiles

Unleash boundless creativity with Zintra Pattern Tiles, where patterns within patterns come to life. These multidimensional tiles ignite inspiration, with each twist revealing a new dimension of design. Let your creativity flourish with our Lotus design.

Description

Discover the versatility and creative potential of Zintra Pattern Tiles, where timeless elegance meets contemporary flair. Intricately cut designs adorn each tile, crafted from high-quality Zintra material and mounted onto a back panel in your choice of matching or contrasting Zintra Colour. This innovative approach introduces style, texture, contrast, and depth to your walls or ceilings, all while offering superior sound absorption for a harmonious ambiance.

Lotus

Inspired by the grace and beauty of lotus flowers, to bring a touch of serenity and natural elegance to your space. With their delicate lines and gentle curves, Lotus Pattern tiles add a sense of tranquillity and sophistication to any interior.

With a vast selection of 30 front and back Colours to choose from, allowing for thousands of unique combinations before even considering layout options. Elevate both visual interest and acoustics in your space with Zintra Pattern Tiles, available in 10 captivating designs (and multiple configurations), offered in single or dual layers.

Available in 10 designs single or double layer *

Arch | Billet* | Entwine | Groove* | Halftone* | Leap | Lotus | Pathway* | Striae | Surge

Let your creativity flourish as you transform your environment into a masterpiece of design and sound with Zintra Pattern Tiles.

Sold in sets.

Not suitable as a free standing product.

Composition

Zintra Acoustic Panel - 100% Solution Dyed (Colour Through) Polyester

- 12mm (1/2") Density 2.4 kg /m² 0.5 lb/ft²
- 24mm (1") Density 3.6 kg/m² 0.75 lb/ft²

Sustainability

Zintra is made from 100% recyclable materials.

- 60% post-consumer recycled content from PET bottles.
- 35% pre-consumer recycled content from PET chips
- 5% polylactic acid (PLA)



Acoustics » Tiles

Dimensions	Lotus: • 10 tiles / set, 2.3m² (25.2 SF) • 600mm (23.62") h x 555mm (21.87") w
Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification
Supplied As	• Lotus 10 tiles / set, 2.3m² (25.2 SF)
Assembly & Delivery	Ships Flat Packed. • Supplied as a set of individual tiles. • Arrange as required. Go to the Technical Documents and download the Installation Guide for more details.
Suggested Installation	Go to Technical Documents and download the Installation Guide for more details.
Care Instructions	Vacuum to remove dust. Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth. For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry. Always test in an inconspicuous area first and if you don't see the expected results, contact us.
Warranty	Visit FAQ for more details.
Customisable	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.
Additional Comments	 NRC 0.45-0.75 Directly Mounted Alpha-w Rating Directly Mounted 0.30-0.60



Acoustics » Tiles

How to Specify 1. S

1. Select Design

2. Select Zintra Colour



Colour & Finish Options

Zintra 12mm Solid PET







Acoustics » Tiles











Zintra Timber Print









Eucalyptus

Ironbark

Merbau

Spotted Gum

