

Brand: Versa

Applications: Walls



## LENOX

Wallcoverings » Commercial Wallcoverings





Lenox's dynamic pattern of abstract shapes and metallics evokes urban architecture in 12 modern neutrals and bold accents, adding movement to any space.

<ul><li>✓ Bleach Cleanable</li><li>✓ HPD Certified</li></ul>	✓ EPD Certified	✓ Low VOC
Description	Inspired by building architecture, Lenox is a dynamic pattern composed of shapes in varying scales, tones, and hints of metallics.	
	The overlapping abstracted motifs foster a sense of movement and provide an untraditional approach to a city scene.	
	The palette offers 12-skus including modern neutrals and bold, corporate-driven accents.	
Composition	Vinyl face on a woven backing 20oz (452 g/m²)	
Environmental Info	Formaldehyde free	
	Heavy metals free	
	Perfluorooctanoic acid free	
	No solvent inks	
	Low VOC emissions. Any VOCs dissipate quickly (faster than paint) through normal ventilation and have no recognized adverse impact on indoor air quality.	
	Durability means products do not need to be replaced regularly due to wear and tear and being cleanable, vinyl products are ideal for helping keep commercial environments clean of bacteria.	
	and federal regulations, provide a	manufacturers that comply with applicable state factory that is safe and clean for its employees to ring the manufacturing process to minimize
Roll Size	132/137cm x 27.4m - Available by the lineal metre.	
Weight	452 g/m²	
Fire Rating	Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification as required by the Building Code of Australia for the control of fire spread on interior wall and ceiling linings.  Classification - Group 3	
	Specific Extinction - Less than 25	Om²/kg



Lead Time	• 2-weeks (approx.) from Wednesday, subject to stock availability.	
	Additional 1-week for Western Australia.	
	<ul> <li>Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.</li> </ul>	
Suggested Installation	Reverse hang / overlap and double cut.	
	Baresque recommends and supply Roman brand adhesives and primers.	
Care Instructions	Use cloth with any of the following in preferred order of use:	
	1: Clear warm water	
	2: Mild solution of liquid detergent and warm water	
	3: Isopropyl Alcohol (a.k.a. rubbing alcohol)	
	Remove any detergent with a clean, damp cloth. Gently pat dry.	
	For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Rub gently.	
	Rinse with a water dampened cloth to remove bleach concentration.	
	Do not use solvent based or concentrated abrasive cleaning agents, lacquer thinners or nail polish remover as these may cause discolouration over a period of time.	
	Always test in an inconspicuous area first.	
	If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.	
Warranty	5-year warranty. Visit <b>baresque.com.au/warranty</b> for complete details.	



## Colour & Finish Options

## COLOURWAY CARD

LENOX COLOURWAY CARD



AVF26-029 CHIFFON



AVF26-050 STREET CAR



AVF26-106 OATMILK



AVF26-157 TAPESTRY



AVF26-336 HARBOUR



AVF26-463 RAWLIN



AVF26-572 FIRED BRICK



AVF26-729 OPTIMIST




AVF26-814 PAVEMENT



AVF26-814 PLATINUM



AVF26-835 HUDSON



AVF26-851 NIGHT LIFE