


Brand: Versa

Applications: Walls



# SAKURA VERSA

Wallcoverings » Commercial Wallcoverings



Wallcoverings » Commercial Wallcoverings

Sakura's bold, abstract shibori stripe on a silk texture comes in 5 striking colorways, complementing Hanami and Hanami Silk for a captivating, coordinated look.

| <ul><li>✓ Bleach Cleanable</li><li>✓ HPD Certified</li></ul> | ✓ EPD Certified  | ✓ Low VOC  |  |
|--|--|--|--|
| Description Large-scale shibori stripe, Sakura, is ins       |  | pired by its companion designs, Hanami   |  |
|  | The bold and abstract motif provides a striking finish over the luminous silk texture.                         |  |  |
|  | The essence of the design is brought to colour pairings. Coordinates with Hanan                                | ,  |  |
| Composition  | Vinyl face on a woven backing 20oz (452 g/m²)  |  |  |
| Environmental Info   | Formaldehyde free  |  |  |
|  | Heavy metals free  |  |  |
|  | Perfluorooctanoic acid free  |  |  |
|  | No solvent inks  |  |  |
|  | Low VOC emissions. Any VOCs dissipate ventilation and have no recognized adve                                  | e quickly (faster than paint) through normal erse impact on indoor air quality.  |  |
|  | Durability means products do not need tear and being cleanable, vinyl products environments clean of bacteria. | to be replaced regularly due to wear and are ideal for helping keep commercial   |  |
|  |  | acturers that comply with applicable state<br>by that is safe and clean for its employees to<br>ne manufacturing process to minimize |  |
| Pattern Repeat Size  | 44cm H   |  |  |
| Roll Size  | 132/137cm x 27.4m - Available by the line  | eal metre.   |  |
| Weight   | 452 g/m²   |  |  |



# SAKURA VERSA

Wallcoverings » Commercial Wallcoverings

|  | Rati |  |
|--|------|--|
|  |      |  |

Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification as required by the Building Code of

Australia for the control of fire spread on interior wall and ceiling linings.

The result achieved was: Classification - Group 2

Specific Extinction - Less than 250m<sup>2</sup>/kg

#### Lead Time

- 2-weeks (approx.) from Wednesday, subject to stock availability.
- Additional 1-week for Western Australia.
- Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.

### Suggested Installation

Reverse hang / overlap and double cut.

Baresque recommends and supply Roman brand adhesives and primers.

#### Care Instructions

Use cloth with any of the following in preferred order of use:

- 1: Clear warm water
- 2: Mild solution of liquid detergent and warm water
- 3: Isopropyl Alcohol (a.k.a. rubbing alcohol)

Remove any detergent with a clean, damp cloth. Gently pat dry.

For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Rub gently.

Rinse with a water dampened cloth to remove bleach concentration.

Do not use solvent based or concentrated abrasive cleaning agents, lacquer thinners or nail polish remover as these may cause discolouration over a period of time.

Always test in an inconspicuous area first.

If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.

#### Warranty

5-year warranty. Visit <u>baresque.com.au/warranty</u> for complete details.



### Wallcoverings » Commercial Wallcoverings

## Colour & Finish Options

### COLOURWAY CARD











SAKURA VERSA

TIPCARD

25