

Brand: Versa

Collections: Circon

Applications: Walls



LOMA

Wallcoverings » Commercial Wallcoverings







A captivating design with hand-drawn organic shapes reflecting the softened formations of land sculpted by nature. Bold lines create a grounded pattern with precision geometry. The 8 colourway colour palette evokes the hues of the desert, with shades of terracotta, sandstone, and teal

✓ Certified Carbon Neutral✓ EPD Certified	✓ 100% Recycled ✓ HPD Certified	✓ Low VOC
Description	Circon is a bio-sourced, carbon neutral, recyclable wallcovering. A first-of-its-kin this innovative new vinyl wallcovering yields over 70% of the material inputs from biogenic rapidly renewable resource-based chemistry.	
	Named for its circular economy, Circon is the close the loop from formation through recy ingredients with rapidly renewable material emissions during manufacturing. Most imperperformance and sustainability.	cling. By replacing traditional s that absorb CO2, Circon reduces
Composition	nposition 70% Bio-Sourced	
	Backing: 100% Bio-Sourced Vinyl	
Environmental Info	Named for its circular economy, Circon is the first vinyl wallcovering technology to close the loop from formation through recycling. By replacing traditional ingredients with rapidly renewable materials that absorb CO2, Circon reduces emissions during manufacturing. Most importantly, Circon delivers on design, performance and sustainability—all at a comparable price to conventional wallcoverings.	
	It means each yard of Circon continues to r	nake an impact beyond its project life.
	AWARD WINNING	
	CERTIFIED CARBON-NEUTRAL	
	MORE THAN 70% BIO-SOURCED	
	100% RECYCLABLE	
Pattern Repeat Size	71.1cm V	
Roll Size	132/137cm x 27.4m - Available by the lineal	metre.
Weight	452 g/m²	



_:	D	
Fire	Rating	

Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification as required by the Building Code of Australia for the control of fire spread on interior wall and ceiling linings.

Classification - Group 3
Specific Extinction - Less than 250m²/kg

Lead Time

- 2-weeks (approx.) from Wednesday, subject to stock availability.
- Additional 1-week for Western Australia.
- Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.

Suggested Installation

Non-reverse hang alternate drops/straight across match/overlap and double cut.

Baresque recommends and supplies Roman brand adhesives and primers.

Care Instructions

Use cloth with any of the following in preferred order of use:

- 1: Clear warm water
- 2: Mild solution of liquid detergent and warm water
- 3: Isopropyl Alcohol (a.k.a. rubbing alcohol)

Remove any detergent with a clean, damp cloth. Gently pat dry.

For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Rub gently.

Rinse with a water dampened cloth to remove bleach concentration.

Do not use solvent based or concentrated abrasive cleaning agents, lacquer thinners or nail polish remover as these may cause discolouration over a period of time.

Always test in an inconspicuous area first.

If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.

Warranty

5-year warranty. Visit baresque.com.au/warranty for complete details.



Colour & Finish Options

COLOURWAY CARD





ABS03-061 COLD FOAM



ABS03-080 IVORY



ABS03-297 MEADOW



ABS03-336 NATURAL SPRING



ABS03-474 PAPAYA



ABS03-758 CABANA



ABS03-825 WHEAT



ABS03-849 WINDFLOWER

