

MIRO TEXTURE

Wallcoverings » Commercial Wallcoverings



Brand: **Versa**

Collections: **Circon**

Applications: **Walls**

1300 306 399

info@baresque.com.au

baresque.com.au

1 of 5

MIRO TEXTURE

Wallcoverings » Commercial Wallcoverings



MIRO TEXTURE

Wallcoverings » Commercial Wallcoverings

Providing a versatile backdrop for interiors reminiscent of a freshly primed canvas and the feeling of new beginnings. The flaxen emboss emulates a linen texture offering simplicity and visual depth. The 12 colourway palette is rooted in the organic shades of rustic landscapes with rich neutrals and tranquil accent hues.

- ✓ **Certified Carbon Neutral**
- ✓ **100% Recycled**
- ✓ **Low VOC**
- ✓ **EPD Certified**
- ✓ **HPD Certified**

Description	Circon is a bio-sourced, carbon neutral, recyclable wallcovering. A first-of-its-kind, this innovative new vinyl wallcovering yields over 70% of the material inputs from biogenic rapidly renewable resource-based chemistry. Named for its circular economy, Circon is the first vinyl wallcovering technology to close the loop from formation through recycling. By replacing traditional ingredients with rapidly renewable materials that absorb CO2, Circon reduces emissions during manufacturing. Most importantly, Circon delivers on design, performance and sustainability.
Composition	70% Bio-Sourced Backing: 100% Bio-Sourced Vinyl
Environmental Info	Named for its circular economy, Circon is the first vinyl wallcovering technology to close the loop from formation through recycling. By replacing traditional ingredients with rapidly renewable materials that absorb CO2, Circon reduces emissions during manufacturing. Most importantly, Circon delivers on design, performance and sustainability—all at a comparable price to conventional wallcoverings. It means each yard of Circon continues to make an impact beyond its project life. AWARD WINNING CERTIFIED CARBON-NEUTRAL MORE THAN 70% BIO-SOURCED 100% RECYCLABLE
Roll Size	132/137cm x 27.4m - Available by the lineal metre.
Weight	452 g/m²
Fire Rating	Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification as required by the Building Code of Australia for the control of fire spread on interior wall and ceiling linings. Classification - Group 3 Specific Extinction - Less than 250m²/kg

MIRO TEXTURE

Wallcoverings » Commercial Wallcoverings

Lead Time	• 2-weeks (approx.) from Wednesday, subject to stock availability. • Additional 1-week for Western Australia. • Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.
Suggested Installation	Reverse hang / overlap and double cut. Baresque recommends and supply Roman brand adhesives and primers.
Care Instructions	Use cloth with any of the following in preferred order of use: 1: Clear warm water 2: Mild solution of liquid detergent and warm water 3: Isopropyl Alcohol (a.k.a. rubbing alcohol) Remove any detergent with a clean, damp cloth. Gently pat dry. For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Rub gently. Rinse with a water dampened cloth to remove bleach concentration. Do not use solvent based or concentrated abrasive cleaning agents, lacquer thinners or nail polish remover as these may cause discolouration over a period of time. Always test in an inconspicuous area first. If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.
Warranty	5-year warranty. Visit baresque.com.au/warranty for complete details.

MIRO TEXTURE

Wallcoverings » Commercial Wallcoverings

Colour & Finish Options

COLOURWAY CARD


COLOURWAY CARD



ABS0-024-AL FRESCO




ABS01-006 DAPPLED
LIGHT




ABS01-081 SALTBED



ABS01-152
DRIFTWOOD




ABS01-270 FIDDLE
LEAF



ABS01-312
AFTERNOON




ABS01-497 VINTAGE
TOUCH




ABS01-619 MOCHA



ABS01-739 SUN
KISSED



ABS01-803 IRON



ABS01-846 RAINFALL



ABS01-885 STONE