
Acoustics » Acoustic Panels



Brand: **Zintra**

Collections: Etch Panel

Applications: Walls, Ceilings







Etch Panel Troupe Detail

Acoustics » Acoustic Panels

Zintra Etch pairs acoustic performance with sculptural detail. Troupe's flowing horizontal lines mimic waves and valleys, with an organic rhythm that can be rotated for a different light effect—perfect for immersive, layered acoustic surfaces.

acoustic surfaces.			
✓ Acoustic	✓ Bleach Cleanable ✓ Easy Clean		
✓ Easy Install			
Description	Zintra Etch, where acoustic absorption meets dynamic 3D design. With a subtle textures, Zintra Etch brings cutting-edge aesthetics and acoustic functionality to your commercial, hospitality, or institutional interior.	range of	
	Discover the extensive selection of understated to statement Colours in Zetch, allowing you to create a welcoming atmosphere while effectively masound. This cost-effective sound and design solution cultivates calming environments, promoting productivity and well-being.		
	Zintra Etch seamlessly integrates with plain Zintra panels, offering versat design coordination.	ility in	
	Experience the benefits of Zintra Etch, including pattern matching with s hidden joins (excluding VJ Angle and Kaleido). The panel size enables joi installations from floor to ceiling, making the fitting process effortless.		
	Troupe features sweeping horizontal contours that flow gently across the echoing the undulating rhythm of waves and valleys. With a design that crotated 180 degrees for a subtle shift in perspective, Troupe plays with m and shadow—offering a layered, immersive aesthetic that brings calm and cohesion to acoustic spaces.	can be novement	
	Zintra Etch is available in 24 great designs		
	Billow Craze Cubix Deviate Demi Imbue Kaliedo Lamella Reed Be Spectrum Suffuse Tesselate Tetris Topo Torus Troupe Venn Verg VJ Board Angle VJ Board Narrow VJ Board Wide Volta		
	Our latest Zintra Etch explore a refined interplay of depth, width and asso Cut angles – introducing sculptural dimension and fluid movement that s light and perspective.		
	Not suitable as a free standing product.		
Composition	Zintra Acoustic Panel - 95% Polyester + 5% PLA		
	12mm (1/2") -Density 2.4 kg /m ² 0.5 lb/ft134		
Dimensions	2800mm (110")x 1225mm (48") x 12mm (1/2")		
Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification		

3 of 12



Supplied As	Ships Flat Packed. Go to the Technical Documents and download the Installation Guide for more details.	
Assembly & Delivery	Ships Flat Packed. Go to the Technical Documents and download the Installation Guide for more details.	
Suggested Installation	Go to Technical Documents and download the Installation Guide for more details.	
Care Instructions	Vacuum to remove dust. Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth. For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry. Always test in an inconspicuous area first and if you don't see the expected results, contact us.	
Warranty	5-year warranty. Visit baresque.com.au/warranty for complete details.	
Customisable	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.	
Additional Comments	Directly Mounted 0.45 With 2" (50mm) air gap 0.85 With 6" (152mm) air gap 0.90	
How to Specify	Select Design Select Zintra Colour	




Colour & Finish Options

Zintra 12mm Solid PET





Acoustics » Acoustic Panels




Zintra Premium Material

White Oak

Redwood



Acoustics » Acoustic Panels



Zintra Print Art Studio Colours Pebble



7 of 12











Acoustics » Acoustic Panels



Stone

Zintra Print Art Studio Colours Frost









Acoustics » Acoustic Panels



Stone