

Acoustics » Acoustic Panels



Brand: Zintra

Collections: Etch Panel

Applications: Walls, Ceilings



Etch Panel Venn Detail - Ecru



Etch Panel Venn Detail

Acoustics » Acoustic Panels

Zintra Etch pairs acoustic performance with sculptural detail. Venn features overlapping circular forms that intersect with bold precision, creating depth, energy, and movement for standout acoustic design moments.

✓ Acoustic✓ Easy Install	✓ Bleach Cleanable	✓ Easy Clean
Description	Zintra Etch, where acoustic absorption meets dynamic 3D design. With a range of subtle textures, Zintra Etch brings cutting-edge aesthetics and acoustic functionality to your commercial, hospitality, or institutional interior.	
	Discover the extensive selection of understated to statement Colours in Zintra Etch, allowing you to create a welcoming atmosphere while effectively managing sound. This cost-effective sound and design solution cultivates calming environments, promoting productivity and well-being.	
	Zintra Etch seamlessly integrates wi design coordination.	ith plain Zintra panels, offering versatility in
	Experience the benefits of Zintra Etc	ch, including pattern matching with seamless

hidden joins (excluding VJ Angle and Kaleido). The panel size enables join-free installations from floor to ceiling, making the fitting process effortless.

Venn is a bold, striking design featuring overlapping circular forms that create a dynamic interplay of space and structure. The design's graphic precision and layered effect bring a sense of movement and depth, making it a statement piece that adds both visual intrigue and acoustic function to any environment.

Zintra Etch is available in 24 great designs

Billow | Craze | Cubix | Deviate | Demi | Imbue | Kaliedo | Lamella | Reed Bed | Sine | Spectrum | Suffuse | Tesselate | Tetris | Topo | Torus | Troupe | Venn | Verge | Vino | VJ Board Angle | VJ Board Narrow | VJ Board Wide | Volta

Our latest Zintra Etch explore a refined interplay of depth, width and assorted V-Cut angles – introducing sculptural dimension and fluid movement that shift with light and perspective.

Not suitable as a free standing product.

details.

Composition	Zintra Acoustic Panel - 95% Polyester + 5% PLA	
	12mm (1/2") -Density 2.4 kg /m² 0.5 lb/ft134	
Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification	
Supplied As	Ships Flat Packed.	
	Go to the Technical Documents and download the Installation Guide for more	

1300 306 399

baresque.com.au



Acoustics » Acoustic Panels

Assembly & Delivery	Ships Flat Packed.	
	Go to the Technical Documents and download the Installation Guide for more details.	
Suggested Installation	Go to Technical Documents and download the Installation Guide for more details.	
Care Instructions	Vacuum to remove dust.	
	Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.	
	For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.	
	Always test in an inconspicuous area first and if you don't see the expected results, contact us.	
Warranty	5-year warranty. Visit baresque.com.au/warranty for complete details.	
Customisable	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.	
Additional Comments	Directly Mounted 0.45 With 2" (50mm) air gap 0.85 With 6" (152mm) air gap 0.90	
How to Specify	1. Select Design	
	2. Select Zintra Colour	

4 of 12



Colour & Finish Options


Zintra 12mm Solid PET







Acoustics » Acoustic Panels



Zintra Premium Material

White Oak

Redwood



Acoustics » Acoustic Panels



Zintra Print Art Studio Colours Pebble















Stone

Zintra Print Art Studio Colours Frost









Acoustics » Acoustic Panels



Stone

12 of 12