

TANGLEWOOD



Brand: **Versa**

Applications: **Walls**

TANGLEWOOD

Commercial wallcovering inspired by wood with earthy tones and natural, bio-sourced design.

- ✓ Bleach Cleanable
- ✓ EPD Certified
- ✓ Low VOC
- ✓ HPD Certified

Description	Let Tanglewood bring the warmth of nature to your interiors. Inspired by the organic beauty of wood, Tanglewood features a palette of earthy tones that create a grounded, timeless aesthetic. Crafted from 100% bio-sourced osnaburg and free of phthalates, Tanglewood combines natural inspiration with sustainable performance for commercial spaces.
Composition	Circon Bio-sourced vinyl on Bio-sourced Osnaburg backing - (452 g/m ²)
Environmental Info	Named for its circular economy, Circon is the first vinyl wallcovering technology to close the loop from formation through recycling. By replacing traditional ingredients with rapidly renewable materials that absorb CO2, Circon reduces emissions during manufacturing. Most importantly, Circon delivers on design, performance and sustainability—all at a comparable price to conventional wallcoverings. It means each yard of Circon continues to make an impact beyond its project life. AWARD WINNING CERTIFIED CARBON-NEUTRAL MORE THAN 70% BIO-SOURCED 100% RECYCLABLE
Pattern Repeat Size	N/A
Roll Size	132/137cm x 27.4m - Available by the lineal metre.
Weight	452 g/m ²
Fire Rating	Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification as required by the Building Code of Australia for the control of fire spread on interior wall and ceiling linings. The result achieved was: Classification - Group 2 Specific Extinction - Less than 250m²/kg

TANGLEWOOD

Lead Time	• 2-weeks (approx.) from Wednesday, subject to stock availability. • Additional 1-week for Western Australia. • Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.
-----------	---

Suggested Installation	Non reverse hang/overlap double cut. Baresque recommends and supplies Roman brand adhesives and primers.
------------------------	--

Care Instructions	Use cloth with any of the following in preferred order of use: 1: Clear warm water 2: Mild solution of liquid detergent and warm water 3: Isopropyl Alcohol (a.k.a. rubbing alcohol) Remove any detergent with a clean, damp cloth. Gently pat dry. For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Rub gently. Rinse with a water dampened cloth to remove bleach concentration. Do not use solvent based or concentrated abrasive cleaning agents, lacquer thinners or nail polish remover as these may cause discolouration over a period of time. Always test in an inconspicuous area first. If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.
-------------------	---

Warranty	5-year warranty. Visit baresque.com.au/warranty for complete details.
----------	--

TANGLEWOOD

Colour & Finish Options



Colourway Card



ABS07-752 - ACACIA




ABS07-819 - ANTIQUE
WHITE



ABS07-166 - BEECH




ABS07-883 -
CHARWOOD



ABS07-346 -
HEMLOCK



ABS07-637 - HICKORY



ABS07-491 - JUNIPER




ABS07-127 -
MAGNOLIA




ABS07-040 - MAPLE



ABS07-105 - NUTMEG



ABS07-640 - SPRUCE



ABS07-685 - WALNUT