


# ENNIS

Wallcoverings » Commercial Wallcoverings

---



Brand: **Xorel**

Applications: **Walls**

1300 306 399

[info@baresque.com.au](mailto:info@baresque.com.au)

[baresque.com.au](http://baresque.com.au)

1 of 5

# ENNIS

Wallcoverings » Commercial Wallcoverings

A versatile textile with a refined linen-like texture, offering timeless simplicity, durability, and sustainable performance.

- ✓ **Bleach Cleanable**
- ✓ **Environmentally Friendly**
- ✓ **Solution Dyed Yarns**
- ✓ **High Stain Resistance**
- ✓ **Phthalate Free**
- ✓ **Ultra Performance**
- ✓ **Extended Warranty**
- ✓ **PVC-Free**

## Description

Let Ennis bring understated elegance to your interiors. Designed with a plain, linen-like texture, Ennis offers a subtle, refined surface that adds warmth and quiet sophistication to any space. Its natural look makes it a timeless choice that pairs effortlessly with both contemporary and classic design schemes. Crafted with sustainability in mind, Ennis is 100% PVC-free, bleach cleanable, and engineered for long-term performance. The Xorel construction is supplied unbacked as standard but can be paired with a variety of backings, making Ennis suitable for panels, upholstered walls, upholstery, and wallcovering applications. Celebrated for its durability, stain resistance, and easy maintenance, even with bleach cleaning. Ennis is a truly versatile textile that balances beauty with responsibility.

## Composition

100% Xorel® (25% Biobased PE, 75% PE)

## Environmental Info

Xorel's high performance does not come at an environmental cost as it achieves high standards for sustainability.

All testing/certifying is done by third party independent organizations including:- Scientific Certification Systems (SCS) – Indoor Air Quality (GOLD)- Vincotte – Biobased Content (LEVELS 3/4)- USDA Biobased – Meeting Government Biobased Regulations (PREFERRED)- Cradle to Cradle Institute – Full Lifecycle Assessment (GOLD)- NSF – FACTS certification (NSF 336)

Xorel products can also help a project achieve multiple credits under LEED for commercial interiors:Material Sourcing (Rapidly Renewable Content)Indoor Air Quality (SCS Indoor Advantage Gold)Material Optimization (Cradle to Cradle Gold)Material Transparency (Healthy Product Declaration)

## Pattern Repeat Size

N/A

## Roll Size

Unbacked - 142cm

X-Protect Wall - 132cm

X-Protect Sit - 137cm

Acrylic Backed - 137cm x Approx 60m - available by the lineal metre.

MINIMUM ORDER for X-Protect Sit - 5 lineal metres

MINIMUM ORDER for Acrylic Backed - 15 lineal metres

# ENNIS

Wallcoverings » Commercial Wallcoverings

---

<b>Weight</b>	Wallcovering: 317.4g/m <sup>2</sup> Upholsted Walls: 199.3g/m <sup>2</sup> Upholstery: 200.7g/m <sup>2</sup>
<b>Abrasion</b>	1 Million Double Rubs
<b>Fire Rating</b>	As a wallcovering - Tested in accordance with AS/NZS 3837 and AS 5637.1:2015 for the purposes of Group Number Classification as specified in the NCC Volume One Specification C1.10 Clause 4  Classification - Group 1  Specific Extinction - Less than 250 m <sup>2</sup> /kg  As a fabric - Tested in accordance with AS1530.3  Spread of Flame Index - 0  Smoke Developed Index - 4
<b>Lead Time</b>	<ul style="list-style-type: none"><li>• 5-weeks (approx) from Wednesday subject to stock availability.</li><li>• Additional 1-week for Western Australia.</li><li>• Unbacked 2-3 weeks.</li><li>• Express delivery is available subject to a surcharge. Contact Baresque for details and pricing</li></ul>
<b>Suggested Installation</b>	As a wallcovering - trim selvedge and butt join.  Download the Installation Instructions for details.  Baresque recommends and supply Roman brand adhesives and primers.

---

## Care Instructions

Xorel yarns are non-absorbent; dust and stains cannot penetrate them.

Regular maintenance will keep the fabric looking new for many years. Periodic vacuuming will remove dust that may settle between the yarns.

Most stains that dry between the yarns or on the surface can be eliminated by wiping the fabric with a cloth moistened with hot tap water. Some stains may require additional treatment. These stains can be cleaned with a variety of water or solvent based cleaners.

When using solvent based cleaners on paperbacked Xorel fabric, test on a small area first. Residue from these cleaners must be removed with hot water and a clean sponge. After cleaning, towel dry.

Hardened solids can be removed with stiff brush or a sharp-edged instrument without damaging the fabric. However, the brush or sharp instrument should not be used close to seams.

Hospital grade disinfectant cleaners can be safely used on Xorel fabrics. Always follow the directions for the specific brand being used as contact times may vary depending on the product. Diluted bleach solution (up to 40%) can also be used on Xorel for disinfecting purposes.

Always test in an inconspicuous area first. If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.

---

## Warranty

7-year warranty. Visit [baresque.com.au/warranty](https://www.baresque.com.au/warranty) for complete details.

---

# ENNIS

Wallcoverings » Commercial Wallcoverings

---

## Colour & Finish Options



20



21



22



23



24



25